

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	10302	707/10,101,102,104.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 18:04
S2	7156	709/203,219.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 18:04
S3	684	717/104,120,176.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 18:05
S4	2	S3 and topograph\$7 same (application\$1 or software\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 18:06
S5	5000	(design\$3 or model\$3) same topograph\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:12
S6	236	S5 and (data near store\$1 or datastore\$1 or database\$1 or data near base) same (component\$1) and (application\$1 or software\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:08
S7	16	S6 and (target near platform\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:10
S8	2	S7 and compar\$3 with client with topograph\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:09
S9	2	S6 and compar\$3 with client with topograph\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:09
S10	5	S6 and compar\$3 same client\$1 same topograph\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:10

S11	10	S6 and compar\$3 with topograph\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:10
S12	10	(design\$3 or model\$3) same topograph\$7 and (requir\$5 with analy\$4) and (datastore or data near store or database\$1 or data near base\$1) with component\$1 with (software\$1 or application\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:15
S13	4	(design\$3 or model\$3) with topograph\$7 and (requir\$5 with analy\$4) and (datastore or data near store or database\$1 or data near base\$1) with component\$1 with (software\$1 or application\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:16
S14	13	(design\$3 or model\$3) with topograph\$7 and (requir\$5 same analy\$4) and (datastore or data near store or database\$1 or data near base\$1) with component\$1 with (software\$1 or application\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:17
S15	26	(design\$3 or model\$3) with topograph\$7 and (datastore or data near store or database\$1 or data near base\$1) with component\$1 with (software\$1 or application\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:18
S16	116	(design\$3 or model\$3) with topograph\$7 and (datastore or data near store or database\$1 or data near base\$1) with (software\$1 or application\$1) and (network\$1 or client\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:19
S17	22	(design\$3 or model\$3) with topograph\$7 and (datastore or data near store or database\$1 or data near base\$1) same (software\$1 or application\$1) and (network\$1 or client\$1) same platform\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:20
S18	24	(design\$3 or model\$3) with topograph\$7 and (datastore or data near store or database\$1 or data near base\$1) and (software\$1 or application\$1) and (network\$1 or client\$1) same platform\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:20
S19	2	(design\$3 or model\$3) near topograph\$7 and (requir\$7 with topograph\$7) and (neutral with application\$1) and framework with communic\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:22

S20	2	(design\$3 or model\$3) near topograph\$7 and (requir\$7 with topograph\$7) and (neutral with application\$1) and framework	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:23
S21	2	(design\$3 or model\$3) near topograph\$7 and (requir\$7 with topograph\$7) and (neutral with application\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:24
S22	2	(design\$3 or model\$3) same topograph\$7 and (requir\$7 with topograph\$7) and (neutral with application\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:24
S23	2	(develop\$3) same topograph\$7 and (requir\$7 with topograph\$7) and (neutral with application\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:24
S24	7	(develop\$3) same topograph\$7 and (requir\$7 same analy\$4) and (neutral with application\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:25
S25	79	topograph\$7 and (requir\$7 same analy\$4) and (neutral same application\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:25
S26	31	topograph\$7 and (requir\$7 same analy\$4) and (neutral same application\$1) and (software\$1 or application\$1) same (network\$1 or client\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:28
S27	175	(requir\$7 with analy\$4) and topograph\$7 and (stor\$3 or sav\$3) with (database\$1 or data near base\$1 or datastore\$1 or data near store\$1) and (software\$1 or application\$1) same (network\$1 or client\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:38
S28	642	(topograph\$7 with (database\$1 or data near base\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:38
S29	139	(topograph\$7 near (database\$1 or data near base\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:39

S30	19	(topograph\$7 near (database\$1 or data near base\$1)) and (network\$1 or client\$1) same (application\$1 or software\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:41
S31	3	(topograph\$7 near (database\$1 or data near base\$1)) and (network\$1 or client\$1) and (application\$1 or software\$1) and (requir\$7 same analy\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:41
S32	66	(topograph\$7 with (database\$1 or data near base\$1)) and (network\$1 or client\$1) and (application\$1 or software\$1) and (requir\$7 same analy\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:44
S33	3193	(database\$1 or data near base\$1) and (network\$1 or client\$1) and (application\$1 or software\$1) same (requir\$7 with analy\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:44
S34	1711	(database\$1 or data near base\$1) and (network\$1 or client\$1) and (application\$1 or software\$1) with (requir\$7 with analy\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:44
S35	63	(database\$1 or data near base\$1) and (network\$1 or client\$1) and (application\$1 or software\$1) with (requir\$7 with analy\$4) and topograph\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:44
S36	208	topograph\$8 and calibration\$1 and (software\$1 same design\$3 or cod\$3) and (network\$1 or distribut\$3) same central\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/05 13:26
S37	0	S36 and (database\$1 or data near base\$1) and (requirement\$1 near analysis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/05 13:24
S38	12	S36 and (database\$1 or data near base\$1) and (requirement\$1 with analysis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/05 13:26
S39	1114	topograph\$8 and (software\$1 same design\$3 or cod\$3) and (network\$1 or distribut\$3) same central\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/05 13:26

S40	19	S39 and (database\$1 or data near base\$1) and (requirement\$1 with analysis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/05 13:35
S41	0	topograph\$8 and (database\$1 or data near base\$1) and software\$1 with (requirement\$1 with analysis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/05 13:36
S42	4	topograph\$8 same (interoperat\$3 or inter-operat\$3) and (database\$1 or data near base\$1) and (requirement\$1 with analysis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/05 13:36
S43	684	717/104,120,176.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 13:38
S44	4	S43 and topograph\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 13:40
S45	15	S43 and requirement\$1 near analysis	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 13:44
S46	41	(creat\$3 or generat\$3) with topograph\$8 and requirement\$1 with analysis	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/05 13:44
S47	2	(common\$1 near application\$1 with component\$1) and (multiple\$1 or pluralit\$3 or more) with (topograph\$3 or topolog\$3) and (requirement\$1 with analy\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 15:52
S48	9	(common\$1 near application\$1 same component\$1) and (multiple\$1 or pluralit\$3 or more) same (topograph\$3 or topolog\$3) and (requirement\$1 with analy\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 15:57
S49	10	(common\$1 near application\$1 same component\$1) and (multiple\$1 or pluralit\$3 or more) same (topograph\$3 or topolog\$3) and (requirement\$1 same analy\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:08

S50	22	(common\$1 near application\$1 same component\$1) and (multiple\$1 or pluralit\$3 or more) same (infrastructure\$1 or framework\$1) and (requirement\$1 same analy\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 16:09
S51	185	717/107.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 14:29
S52	75626	717/107.ccls. and topograph\$3 or topolog\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 14:29
S53	12	717/107.ccls. and (topograph\$3 or topolog\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 14:30
S54	2742	(requirement\$1 with analy\$4) and (creat\$3 or generat\$3) with component\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 18:21
S55	518	(requirement\$1 with analy\$4) and (creat\$3 or generat\$3) with component\$1 and (topograph\$3 or topolog\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 18:21
S56	98	(requirement\$1 near analy\$4) and (creat\$3 or generat\$3) with component\$1 and (topograph\$3 or topolog\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 18:22